



Stock Clamshells

Part #	Overall Outside Dimensions			Cavity Dimensions			Insert Card Dimensions		Case Qty
	Length "A"	Width "B"	Thickness	Length "C"	Width "D"	Depth "E"	Length "F"	Width "H"	
1636	6.588	2.938	0.0150	3.187	2.281	1.250	5.500	2.375	385
2414	6.588	3.940	0.0180	5.560	3.580	1.250	5.381	3.344	320
4764	4.813	2.688	0.0170	3.688	2.313	0.750	3.813	2.375	250
10978	3.806	1.938	0.0150	2.798	1.600	0.750	2.619	1.384	550
15357	7.750	6.875	0.0200	6.250	6.062	1.250	6.500	6.375	75
23020	6.700	4.200	0.0170	4.250	3.460	1.075	5.748	3.738	270
28532	4.813	2.688	0.0170	3.375	2.000	1.250	3.813	2.375	200
34532	4.000	1.562	0.0150	1.562	0.813	0.875	3.062	1.375	500
37266	4.375	2.688	0.0150	1.000	1.625	0.688	3.437	2.468	300
46458	6.438	2.688	0.0200	2.500	1.813	1.437	5.406	2.468	150
49393	6.588	3.940	0.0170	3.424	3.580	1.250	5.384	3.354	210
51290	3.375	1.875	0.0150	2.437	1.562	0.500	2.437	1.562	250
64406	2.750	1.875	0.0150	1.687	1.500	0.750	1.687	1.500	300
79132	11.000	5.200	0.0200	4.975	4.360	1.437	9.658	4.613	120
83315	4.813	2.688	0.0150	1.125	1.750	0.875	4.031	2.500	250
94465	9.375	6.000	0.0200	7.750	5.000	1.750	8.187	5.437	50
95714	3.475	1.562	0.0150	2.312	1.187	0.687	2.500	1.187	300
99462	7.750	1.875	0.0170	6.188	1.188	1.250	6.562	1.500	250
100TF	6.125	3.125	0.0100	2.107	2.107	0.500	4.937	2.562	1000
101TF	6.125	3.125	0.0120	2.000	2.000	0.875	4.937	2.562	1000
102TF	6.125	3.125	0.0120	2.063	2.063	0.688	4.937	2.562	1000
105TF	6.125	3.125	0.0100	2.125	2.125	0.188	4.937	2.562	1000
107TF	6.125	3.125	0.0120	3.375	1.125	0.625	4.937	2.562	1000
108TF	6.125	3.125	0.0150	3.563	1.563	1.000	4.937	2.562	500
109TF	6.125	3.125	0.0150	4.000	1.438	1.250	4.937	2.562	500
1100TF (S)	12.125	12.125	0.0175	10.125	10.750	3.125	10.875	11.500	150
1101TF (S)	12.125	12.125	0.0175	9.938	8.938	1.500	10.875	11.500	150
1102TF (S)	12.125	12.125	0.0175	10.125	10.750	1.438	10.875	11.500	125
120TF	4.806	1.938	0.0150	3.798	1.600	1.250	3.660	1.400	450
123TF	6.375	3.475	0.0285	3.562	2.300	2.170	5.000	3.050	300
162TFM	5.969	3.875	0.0225	1.175	2.360	0.750	4.875	3.469	515
164TFM	5.969	3.875	0.0225	1.625	2.875	1.583	4.875	3.469	515
166TFM	5.969	3.875	0.0225	1.804	3.154	1.870	4.875	3.469	515
168TFM	5.969	3.875	0.0225	1.969	2.969	1.100	4.875	3.469	515
170TFM	5.969	3.875	0.0225	2.389	2.900	1.350	4.875	3.469	515
175TF	5.687	4.062	0.0150	4.484	3.500	0.078	4.605	3.660	650
176TF	5.687	4.062	0.0150	1.938	2.625	1.063	4.605	3.660	500
177TF	5.687	4.062	0.0150	2.375	3.375	0.322	4.605	3.660	500
178TF	5.687	4.062	0.0150	2.719	Round	0.625	4.605	3.660	500

Stock Clamshells

Part #	Overall Outside Dimensions			Cavity Dimensions			Insert Card Dimensions		Case Qty
	Length "A"	Width "B"	Thickness	Length "C"	Width "D"	Depth "E"	Length "F"	Width "H"	
179TF	5.687	4.062	0.0150	1.969	2.688	1.375	4.605	3.660	500
180TF	5.687	4.062	0.0150	2.188	2.563	0.800	4.605	3.660	500
181TF	5.687	4.062	0.0150	2.250	3.406	0.800	4.605	3.660	500
200TF (S)	7.437	3.625	0.0150	2.938	2.563	1.000	6.437	3.140	500
2010CTM	6.100	3.725	0.2250	0.944	1.313	1.200			650
201TF	7.437	3.625	0.0150	6.031	2.063	1.031	6.437	3.140	500
2020CTM	7.813	5.969	0.0225	0.825	1.575	1.250			155
202TF	7.437	3.625	0.0150	2.688	2.469	1.250	6.437	3.140	500
2030CTM	8.375	3.938	0.0225			1.150			350
203TF	7.437	3.625	0.0150	2.625	Round	1.000	6.437	3.140	500
2040CTM	9.156	5.000	0.1900			0.750			275
204TF	7.437	3.625	0.0150	4.688	2.188	1.000	6.437	3.140	500
2050CTM	5.063	5.938	0.0125			0.420			480
205TF	7.437	3.625	0.0150	5.688	2.313	1.125	6.437	3.140	500
2060CTM	5.490	4.125	0.0250				4.500	3.688	380
206TF	7.437	3.625	0.0200	4.688	2.313	1.312	6.437	3.140	500
2070CTM	7.437	3.625	0.0150	6.062	2.797	0.750	6.437	3.140	400
207TF (P)	7.437	3.625	0.0200	1.250	1.250	1.500	6.437	3.140	500
208TF	7.437	3.625	0.0150	3.625	1.813	1.101	6.437	3.140	500
209TF	7.437	3.625	0.0150	2.938	2.625	0.500	6.437	3.140	500
210TF	7.437	3.625	0.0150	2.563	2.000	1.055	6.437	3.140	500
211TF	7.437	3.625	0.0200	4.000	2.281	1.375	6.437	3.140	500
212TF	7.437	3.625	0.0200	5.063	1.156	1.375	6.437	3.140	500
213TF	7.437	3.625	0.0150	4.031	2.063	0.250	6.437	3.140	500
214TF	7.437	3.625	0.0150	5.313	0.813	0.625	6.437	3.140	500
215TF	7.437	3.625	0.0150	3.094	2.750	0.500	6.437	3.140	500
240TFM	7.535	3.680	0.0190	4.023	2.898	0.938	6.473	3.118	320
241TFM	7.535	3.680	0.0190	5.239	2.169	0.750	6.473	3.118	320
242TFM	7.535	3.680	0.0190	3.719	2.719	1.250	6.473	3.118	320
243TFM	7.535	3.680	0.0190	3.719	2.719	0.750	6.473	3.118	320
244TFM	7.535	3.680	0.0190	5.917	2.258	1.097	6.473	3.118	320
245426	5.063	1.562	0.0240	4.000	1.187	1.125	4.062	1.187	350
251523	3.806	1.938	0.0150	1.195	1.600	0.750	2.647	1.411	500
261TF	8.000	3.438	0.0150	5.750	2.188	1.250	6.937	2.968	500
262TF	8.000	3.438	0.0150	5.313	2.375	1.000	6.937	2.968	500
275TF	7.000	5.000	0.0150	3.188	3.188	1.750	5.750	4.343	400
276TF	7.000	5.000	0.0150	3.813	Round	0.875	5.750	4.343	400
277TF (S)	7.000	5.000	0.0200	4.250	3.875	2.000	5.750	4.343	400
278TF	7.000	5.000	0.0200	4.250	3.625	1.500	5.750	4.343	400
279TF	7.000	5.000	0.0150	1.375	3.063	0.236	5.750	4.343	400
281TF	7.000	5.000	0.0200	3.219	Round	1.866	5.750	4.343	400
282TF (S2)	7.000	5.000	0.0200	2.594	3.625	2.875	5.750	4.343	400
283TF (S2)	7.000	5.000	0.0200	2.313	3.375	2.500	5.750	4.343	350
284TF	7.000	5.000	0.0150	2.844	3.125	1.000	5.750	4.343	400
285TF	7.000	5.000	0.0150	2.125	1.688	0.316	5.750	4.343	400

Stock Clamshells

Part #	Overall Outside Dimensions			Cavity Dimensions			Insert Card Dimensions		Case Qty
	Length "A"	Width "B"	Thickness	Length "C"	Width "D"	Depth "E"	Length "F"	Width "H"	
286TF	7.000	5.000	0.0150				5.750	4.343	500
287TF	7.000	5.000	0.0200	2.594	3.656	1.438	5.750	4.343	400
291062	4.375	1.875	0.0170	3.437	1.562	0.500	3.437	1.562	450
291TF	9.062	4.375	0.0150	7.063	0.813	0.500	7.937	3.812	400
292TF	9.062	4.375	0.0200	4.688	1.875	2.177	7.937	3.812	250
293TF	9.062	4.375	0.0150	6.406	3.188	0.400	7.937	3.812	400
294TF	9.062	4.375	0.0150	6.188	3.031	0.900	7.937	3.812	400
299TFM	9.220	7.000	0.0200	4.960	5.630	1.750	7.345	6.372	450
300TF (S2)	6.562	7.562	0.0150	5.062	6.750	1.685	5.406	7.125	250
301TF (S2)	6.562	7.562	0.0150	4.750	6.438	2.419	5.406	7.125	250
302TF (S2)	6.562	7.562	0.0175	4.750	6.438	3.469			250
303TF (S)	6.562	7.562	0.0150	4.750	6.438	1.469	5.406	7.125	250
304TF	6.562	7.562	0.0175	4.531	6.188	2.000	5.406	7.125	250
305TF	6.562	7.562	0.0150	5.063	5.063	0.500	5.406	7.125	250
322289	6.375	2.687	0.0200	5.312	2.312	0.875	5.312	2.250	200
326374	4.375	2.688	0.0150	1.250	1.750	1.000	3.437	2.468	300
341719	5.625	2.875	0.0200	2.688	1.875	1.750	4.594	2.688	150
350TFM	9.500	4.975	0.0200	4.811	3.421	1.080	8.438	4.538	240
351TFM	9.500	4.975	0.0200	6.078	2.578	1.500	8.438	4.538	240
375TF	9.688	3.562	0.0150	4.563	2.500	1.000	8.500	3.083	400
376TF	9.688	3.562	0.0150	4.563	2.500	1.313	8.500	3.083	400
377TF	9.688	3.562	0.0180	6.375	2.250	1.625	8.500	3.083	400
378TF	9.688	3.562	0.0180	6.875	1.000	1.125	8.500	3.083	400
379TF	9.688	3.562	0.0200	5.750	2.000	2.172	8.500	3.083	400
391TF (S)	8.375	3.875	0.0200	5.062	2.000	1.560	7.890	3.264	400
392TF (S)	8.375	3.875	0.0200	4.625	2.375	1.700	7.890	3.264	350
393TF	8.375	3.875	0.0150	4.250	2.187	0.807	7.890	3.264	400
394TF	8.375	3.875	0.0150	5.000	2.562	0.858	7.890	3.264	400
395TF	8.375	3.875	0.0150	5.250	2.687	1.281	7.890	3.264	400
397609	4.000	1.562	0.0170	2.937	1.250	1.000	3.000	1.250	600
398294	5.587	2.938	0.0170	2.674	2.580	2.000	4.381	2.344	300
400TF	8.250	4.938	0.0200	3.313	Round	1.125	7.125	4.343	300
401TF	8.250	4.938	0.0200	5.563	2.250	1.375	7.125	4.343	300
402TF	8.250	4.938	0.0200	5.438	2.094	2.000	7.125	4.343	300
403TF	8.250	4.938	0.0200	6.375	3.625	1.300	7.125	4.343	300
404TF (S)	8.250	4.938	0.0200	6.250	3.563	1.625	7.125	4.343	300
405TF	8.250	4.938	0.0150	4.750	3.063	1.688	7.125	4.343	300
406TF (S)	8.250	4.938	0.0200	6.250	3.563	2.925	7.125	4.343	300
407TF (S)	8.250	4.938	0.0200	3.500	3.500	1.625	7.125	4.343	300
408TF	8.250	4.938	0.0200	5.594	3.188	0.625	7.125	4.343	300
409TF (S)	8.250	4.938	0.0200	5.563	3.188	1.625	7.125	4.343	300
410TF (S)	8.250	4.938	0.0200	5.563	3.188	2.250	7.125	4.343	300
411TF	8.250	4.938	0.0150	6.094	3.625	0.625	7.125	4.343	300
412TF	8.250	4.938	0.0200	4.000	2.250	1.375	7.125	4.343	300
413TF	8.250	4.938	0.0150	3.938	1.813	0.563	7.125	4.343	300

Stock Clamshells

Part #	Overall Outside Dimensions			Cavity Dimensions			Insert Card Dimensions		Case Qty
	Length "A"	Width "B"	Thickness	Length "C"	Width "D"	Depth "E"	Length "F"	Width "H"	
414TF	8.250	4.938	0.0150	4.594	2.719	0.938	7.125	4.343	300
415TF	8.250	4.938	0.0200	5.438	4.000	1.188	7.125	4.343	300
416830	6.438	2.688	0.0250	3.187	1.688	2.125	5.406	2.468	125
416TF	8.250	4.938	0.0150	3.938	3.500	1.039	7.125	4.343	300
417TF	8.250	4.938	0.0150	3.656	1.844	1.100	7.125	4.343	300
418TF	8.250	4.938	0.0200	2.938	2.656	1.313	7.125	4.343	300
419TF	8.250	4.938	0.0200	3.563	3.819	1.990	7.125	4.343	300
420TF	8.250	4.938	0.0200	3.625	3.250	1.990	7.125	4.343	300
421TF (S)	8.250	4.938	0.0150	3.938	1.375	1.094	7.125	4.343	300
422TF (S)	8.250	4.938	0.0200	4.188	3.375	3.875	7.125	4.343	300
423TF	8.250	4.938	0.0150	5.594	3.688	0.750	7.125	4.343	300
424TF	8.250	4.938	0.0150	5.594	4.156	0.375	7.125	4.343	300
449346	5.500	3.625	0.0180	2.062	2.813	1.000	4.531	3.406	50
456222	5.500	3.687	0.0200	4.437	3.312	0.750	4.437	3.312	150
484TFM	10.000	3.375	0.0250	6.207	2.207	1.675	8.938	2.938	240
492684	6.562	4.938	0.0180	5.432	4.437	1.250	5.430	4.386	80
494TFM	10.150	4.563	0.0250	5.805	3.080	2.220	9.000	4.125	200
500TF	10.938	5.250	0.0150	9.000	4.000	1.500	9.625	4.590	350
501TF	10.938	5.250	0.0150	7.438	2.969	1.094	9.625	4.590	350
502TF	10.938	5.250	0.0200	8.125	3.375	1.406	9.625	4.590	300
503TF	10.938	5.250	0.0175	4.594	3.969	1.422	9.625	4.590	300
504TF	10.938	5.250	0.0150	9.000	4.000	2.500			350
505TF	10.938	5.250	0.0150	8.813	4.031	0.375	9.625	4.590	400
506TF	10.938	5.250	0.0200	8.438	3.813	3.063			300
507TF	10.938	5.250	0.0200	7.625	2.313	1.313	9.625	4.590	300
514525	6.588	4.938	0.0180	3.856	4.262	2.250	5.430	4.386	75
526577	8.000	4.000	0.1700	6.600	3.400	1.000	6.938	3.688	200
576TF	10.938	6.875	0.0150	5.219	5.219	1.375	9.781	6.281	250
577TF	10.938	6.875	0.0150	8.813	5.375	1.125	9.781	6.281	250
578TF	10.938	6.875	0.0150	8.500	5.563	0.375	9.781	6.281	250
579TF	10.938	6.875	0.0150	8.813	5.375	2.250	9.781	6.281	250
580TF	10.938	6.875	0.0150	8.938	4.438	1.000	9.781	6.281	250
581TF	10.938	6.875	0.0150	8.000	5.688	2.469	9.781	6.281	250
582TF	10.938	6.875	0.0200	4.375	3.875	4.375	9.781	6.281	225
583TF	10.938	6.875	0.0200	4.375	3.875	2.125	9.781	6.281	200
584TF	10.938	6.875	0.0250	5.531	5.063	4.563	9.781	6.281	200
585TF	10.938	6.875	0.0200	3.813	5.313	1.750	9.781	6.281	225
586TF	10.938	6.875	0.0150	4.375	5.438	2.438	9.781	6.281	250
587TF	10.938	6.875	0.0150	8.000	5.750	0.500	9.781	6.281	250
588TF	10.938	6.875	0.0150	9.313	5.750	1.125	9.781	6.281	250
589TF	10.938	6.875	0.0150	5.688	5.500	1.563	9.781	6.281	250
590TF (S)	10.938	6.875	0.0250	8.875	5.375	3.750	9.781	6.281	200
592969	7.588	2.938	0.0200	5.424	2.580	1.250	6.381	2.344	350
594TFM	11.800	3.450	0.0250	7.688	1.802	1.600	10.750	2.906	325
600TF	14.500	5.250	0.0150	12.875	4.332	1.500	13.190	4.600	200

Stock Clamshells

Part #	Overall Outside Dimensions			Cavity Dimensions			Insert Card Dimensions		Case Qty
	Length "A"	Width "B"	Thickness	Length "C"	Width "D"	Depth "E"	Length "F"	Width "H"	
601TF	14.500	5.250	0.0200	12.875	4.332	3.017			200
602TF	14.500	5.250	0.0200	12.875	4.332	3.750			200
603TF	14.500	5.250	0.0180	12.875	4.332	2.125	13.190	4.600	200
604TF	14.500	5.250	0.0150	10.494	4.332	1.025	13.190	4.600	200
605TF	14.500	5.250	0.0150	12.844	4.250	1.000	13.190	4.600	200
606TF	14.500	5.250	0.0150	10.483	4.314	1.493	13.190	4.600	200
65TF	4.875	2.000	0.0300	2.500	1.125	1.500	3.500	1.590	770
661TF	13.000	6.188	0.0200	10.123	3.711	2.185	11.750	5.563	250
675306	3.625	2.750	0.0180	2.187	2.000	1.250	2.531	2.375	225
71TFM	5.063	2.063	0.0150	3.656	1.435	0.240	3.938	1.719	840
72TFM	5.063	2.063	0.0150	3.744	1.484	0.188	3.938	1.719	840
751TF	9.500	7.250	0.0150	5.031	5.031	0.500	8.250	6.688	350
752TF	9.500	7.250	0.0200	5.875	5.250	3.125			225
753TF	9.500	7.250	0.0200	5.875	5.250	1.563	8.250	6.688	225
75TFM	5.063	2.063	0.0150	3.600	1.375	0.350	3.938	1.719	840
775TF	8.750	8.000	0.0190	7.228	6.750	1.700	7.900	7.580	240
77TFM	5.063	2.063	0.0150	2.187	1.487	0.360	3.938	1.719	840
786802	7.500	2.750	0.0200	6.125	2.000	1.250	6.313	2.250	150
78TFM	5.063	2.063	0.0150	2.167	1.453	0.500	3.938	1.719	840
801TF	5.625	6.000	0.0150	3.875	4.875	1.000	4.460	5.460	350
802TF	5.625	6.000	0.0150	3.688	4.688	1.500	4.460	5.460	350
803TF (S2)	5.625	6.000	0.0150	3.688 - 3.875	4.688	2.500	4.460	5.460	350
820TF	11.000	6.800	0.0190	9.000	5.828	3.000	9.500	6.340	160
827808	5.587	2.938	0.0150	2.369	2.525	0.750	4.430	2.386	160
836263	7.750	1.875	0.0150	6.188	1.313	0.750	6.562	1.500	250
843681	4.813	2.688	0.0150	1.187	1.875	0.500	4.031	2.500	300
900TF (S)	11.000	9.375	0.0250	8.688	7.438	4.500	9.900	8.625	150
901TF (S)	11.000	9.375	0.0250	8.688	7.438	2.000	9.900	8.625	150
902TF (S)	11.000	9.375	0.0250	8.688	7.438	2.500	9.900	8.625	150
903TF	11.000	9.375	0.0250	8.688	7.438	3.063	9.900	8.625	150
905TF	11.000	9.375	0.0250	6.375	7.125	2.500	9.900	8.625	150
91TF	6.000	2.312	0.0150	2.188	1.250	0.750	4.900	1.812	1000
92TF	6.000	2.312	0.0150	4.300	1.200	1.000	4.900	1.812	1000
939128	6.562	3.688	0.0200	5.125	2.938	1.625	5.563	3.125	50
966392	3.750	1.875	0.0150	1.062	1.062	0.500	2.937	1.687	500